

Ref no. TCTA 08-032 -A01

13th July 2020

**RFT FOR THE OPERATION AND MAINTENANCE OF THE AMD TREATMENT PLANT AT
EASTERN BASIN**


ADDENDUM NO 1-OEMPR

Herewith please find Addendum No 1 which forms an integral part of the above-mentioned contract.

PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM AS FOLLOWS:

1. Complete the section below and **without delay** email a copy of this page to TCTA, email address tenders01@tcta.co.za; for the attention of The Receiving Officer to confirm that you have received this addendum.

Regards



Azwi Nelwamondo
Senior Manager: Procurement

I/We herewith acknowledge receipt of ADDENDUM NO 1 for CONTRACT NO. TCTA-08-032

SIGNATURE: DATE:

ON BEHALF OF:

ADDENDUM NO 1-OEMPR

1. SECTION 6.10 AND 8.2 (UNDER SCHEDULE A-SUMMARY OF OPERATOR'S TASKS) IN ANNEXURE B-DESCRIPTION OF SERVICE, AND ANNEXURE C-OEMPR (OPERATIONAL ENVIRONMENTAL MANAGEMENT PROGRAMME)

These sections of Annexure B, and Annexure C of the above-mentioned RFT refers to the OEMPr. The following documents attached herewith forms part of ANNEXURE C:

- *EB AMD sludge_Grootvlei No 3 and 4 shafts and deep boreholes;*
- *OEMPr - AMD Eastern Basin Treatment Works – Final; and*
- *Wits AMD emergency works_Exemption and Authorisation from DEA_REVISED*